



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of

JAMES M. CANTONIS

Serial No.: 09/715,073

Art Unit: 1744

Filed: November 20, 2000

Examiner: L. Cole

For: ELONGATED CHAMOIS PAD

Notice of Allowance dated November 2, 2005, Confirmation No. 8877

**RESPONSE/LETTER TO THE OFFICIAL DRAFTSMAN**

To the Director of the Patent and Trademark Office

Sir:

In response to the Notice Regarding Drawings dated November 22, 2005, kindly enter and approve the attached formal drawings for the above-identified application.

Respectfully,

James C. Wray, Reg. No. 22,693  
Meera P. Narasimhan, Reg. No. 40,252  
Matthew J. Laskoski, Reg. No. 55,360  
1493 Chain Bridge Road  
Suite 300  
McLean, Virginia 22101  
Tel: (703) 442-4800  
Fax: (703) 448-7397

January 10, 2006



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND  
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NUMBER <b>09/715073</b>	FILING/RECEIPT DATE <b>11/20/2000</b>	FIRST NAMES APPLICANT <b>CANTONIS, JAMES M.</b>	ATTORNEY DOCKET NUMBER <b>ACME SPONGE</b>
--	--	--	--

James C Wray  
1493 Chain Bridge Road  
Suite 300  
McLean VA 22101Examiner  
**GUIDOTTI LAURA C**  
Art Unit  
**1744***LAG 1-22-06*

Date Mailed: 11/22/05

**Notice Regarding Drawings**

Corrected drawings for the above-identified application, received in the USPTO on 11/20/2000 are still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. **THIS TIME PERIOD IS NOT EXTENDABLE UNDER EITHER 37 CFR 1.136(a) OR 1.136(b).** Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review  
**RETURN CORRECTED DRAWINGS TO:**Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450John Fitzhugh  
Office Of Patents Publication  
Publishing Division  
703-305-0333 ext-137